

VARA KAMIN'S IMPRESSIONS OF LIGHT®, INC. STARTILES

AGG14/AGG22/AGG24

Transform New Star Lighting's versatile StarTile with a VKI Image. Vara Kamin Images (VKI) create memorable experiences. Rich in color, movement and texture, Kamin's paintings provide a positive point of focus while stimulating active imagination and inviting the viewer to a place of self-reflection. Images sit directly in a standard Grid while the recessed frame and StarTile backlight the Image for an even illumination. VKI Images can be configured as a standalone image or into a mural. Oval or circle configurations available, consult factory.



SPECIFICATION FEATURES

IMAGES: Images are from Vara Kamin's Impressions of Light®, Inc. (VKI). Images sit directly in the grid with the Recessed Frame on top. Image options are on page 3. Additional options available, consult factory. Images sit directly in the grid with the Recessed Frame on top. VKI murals are available and scalable to various project requirements. Images may need to be edited. Images are printed on polycarbonate, unless otherwise specified.

RECESSED FRAME: Straight edge Recessed Frame illuminates the Image by raising the StarTile 3-inches (standard) above standard (15/16") grid ceiling. Frame is available in 20 gauge cold rolled steel (standard) in a white powder coat finish, unless otherwise specified.

STARTILE FRAME: Fixture Frame White Extruded Aluminum.

STARTILE LENS: Opal Polycarbonate lens standard.

STARTILE LED: Recommended color temperature for VKI Images is 4000°K. Standard 0-10V Meanwell dimming driver with 10-100% range.

POWER SUPPLY: Integral LED driver.

AGG14: Input Power 40.0W

AGG22: Input Power 40W

AGG24: Input Power 80W

APPLICATIONS: Adult and Pediatric Patient Inpatient and Outpatient Clinical Care Settings, Pre and Post Sedation Rooms, Emergency Department Patient Exam and Holding Rooms, Diagnostic and Treatment Radiology Suites, Family Grief Rooms, Meditation Chapels, Wellness Centers and Medi-Spas, Specialty Dental Operatory, and more.

MOUNTING: Grid installation. Mounting for custom ceilings available, consult factory.

LABEL: Fixture is listed for UL Damp Location.



ORDERING INFORMATION

Order based on number of murals, not individual StarTiles. Example: 8 StarTiles for 1 Mural, order Qty 1 with configuration = 8, Y, Z. See example on page 2. Oval and circle configurations available, consult factory.

SERIES	MOUNTING	SIZE		CONFIGURATION	IMAGE
AG	G		M		
	G = Grid	14 = 1x4 22 = 2x2 24 = 2x4		X Y Z X = Number of StarTiles per Mural Y = Number of StarTiles (Length) Z = Number of StarTiles (Width)	VMD = Moon Drops© VBL = Bridge of Light© VSP = Sacred Passages - Balance© VIM = Infinite Moments© VSG = Sea Garden© VTP = Touching Petals©
	*Contact factory for custom installations			* Configuration Example on Page 2. Custom configurations and shapes available, consult factory. Images may need to be edited based on layout.	* Image options on Page 3
		*Nominal Size. Dimensional Data on Page 2			

VOLTAGE	COLOR TEMP.	OPTIONS
	40	

12 = 120V
27 = 270V
UN = Universal (120V-277V)

40 = 4000°K

EQ = Earthquake Clips
EL1 = Emerg. Batt Low (Remote)
DM1 = 0-10V dimming with 1-100% range



Notes:
Specifications and Dimensions are subject to change without notice.
For additional options and dimensional details please consult your New Star Lighting

VARA KAMIN'S IMPRESSIONS OF LIGHT[®], INC. STARTILES

AGG14/AGG22/AGG24

DIMENSIONAL DATA

Dimensions based on standard Grid (15/16"). Must have 4.5" ceiling clearance.



SERIES	IMAGE SIZE	FRAME SIZE	STARTILE SIZE (without Driver Box)	TOTAL HEIGHT
AGG14	11.75" x 47.75"	11.79" x 47.79" x 3.00"	11.81" x 47.75" x 0.56"	4.25"
AGG22	23.75" x 23.75"	23.79" x 23.79" x 3.00"	23.62" x 23.62" x 0.56"	4.25"
AGG24	23.75" x 47.75"	23.79" x 47.79" x 3.00"	23.62" x 47.62" x .056"	4.25"

CONFIGURATION EXAMPLE

Order quantity based on number of murals, not StarTiles.

Example, Qty 1: AGG22-M842-VBL-UN-57 = 1 Mural with 4 StarTiles across and 2 StarTiles Down for a total of 8 StarTiles.


CONFIGURATION
8 4 2

XYZ

X = Number of StarTiles per Mural = 8

Y = Number of StarTiles (Length) = 4

Z = Number of StarTiles (Width) = 2



Notes:
Specifications and Dimensions are subject to change without notice.
For additional options and dimensional details please consult your New Star Lighting

IMAGE OPTIONS

