

## FLEXENTIAL STARCLEAN UTILITY

### SCU24-TL004

#### SPECIFICATION FEATURES

**HOUSING:** 20 gauge formed cold rolled steel housing.

**FRAME:** Inset extruded door available in aluminum. Door sealed to housing with latch (standard).

**LENS:** Frosted polycarbonate lens.

**LED:** Available in 4000°K with maximum 3-step MacAdam variation allowance.

**ELECTRICAL:** 0-10V dimming available with 10-100% range (standard).

**FINISH:** White powder coat finish following multistage iron phosphate pretreatment.

**GASKET:** Closed cell gasket prevents air contaminations from entering the fixture.

**INSTALLATION:** Grid mounting.

**WARRANTY:** Limited five (5) year warranty.

#### ORDERING INFORMATION

Example: SCUG24-HC/IP-L14-401C-LCU-UN-VWNA-6WP-TL004



**APPLICATIONS:** Healthcare Settings, Alternative Care Facilities, Hospitals, Cleanrooms, Laboratories, Food Processing Facilities, IES Class 100, and more.

**LABEL:** Fixture is certified to UL standards by Intertek Testing Laboratories for Wet Location (under covered ceiling). ISO5 Certified.

SERIES	MOUNTING	SIZE*	HOUSING	INSET FRAME	LUMEN OUTPUT*	COLOR TEMP.*
SCU	G	24	HC	IP	L14	40

G = Grid

24 = 2x4

HC = 20Ga. CRS Painted

IP = Extruded Alum. Painted

L14 = 14000lm

40 = 4000°K

\*Nominal Size.

\*Subject to change.

\*80 CRI Standard.

CIRCUITS	LENS	VOLTAGE	OPTIONS	
1C	LCU	UN	VWNA - 6WP -	TL004

1C = 1 Circuit

LCU = Frosted Polycarbonate

UN = Universal  
(120V-277V)

VWNA = Flexential National Account formerly known as Viawest

6WP = 6ft Whip

EZDA = NIO EZDCA eldoLED dimming device

EZDC = NIO EZDCL eldoLED dimming device

EZDCER = NIO EZDCL eldoLED dimming with emergency



ESOL = eldoLED SOLOdrive 566/L

NP16 = nLight nPPI6 Power/Relay pack

NEL16 = NLight nPPI6 ER EFP Emergency Relay pack

TL004 = Custom  
SCU. Wired for 1  
circuit operation.

#### DIMENSIONAL DATA



#### Notes:

This product is Made in America and complies with the Buy American Act requirements. Specifications and Dimensions are subject to change without notice. For additional options and dimensional details please consult your New Star Lighting Representative.